

Foliicolous Lichens distributed in Vězda: Lichenes selecti exsiccati 1966 - 1991

Antonín VĚZDA

Lichenological Institute, Tábor 28a 60200 Brno, Czech Republic, vezda.lich@post.cz

Key words: Foliicolous lichens, Exsiccatum.

The exsiccatum composes 25 numbers per fascicles. All the fascicles are accompanied by individual schedae. The schedae contain 25 species per fascicle. For each species the Notes with an alphabetical index for edited species are published as follow:

Notes on Lichenes selecti exsiccati... fascicles 1 - 20 (Nos. 1-500).

Folia Geobot. Phytotax., Praha, 2 : 201-208 (1967).

Notes on Lichenes selecti exsiccati... fascicles 21- 40 (Nos. 501- 1000).

Folia Geobot. Phytotax., Praha, 7 : 425- 431 (1972).

Notes on Lichenes selecti exsiccati... fascicles 41- 60 (Nos. 1001- 1500).

Folia Geobot. Phytotax., Praha, 14: 95- 102 (1979).

Notes on Lichenes selecti exsiccati... fascicles 61- 80 (Nos. 1501 - 2000).

Folia Geobot. Phytotax., Praha, 20: 205- 21 (1985).

Notes on Lichenes selecti exsiccati... fascicles 81- 100 (Nos. 2001- 2500).

Folia Geobot. Phytotax., Praha, 27: 197- 206 (1992).

All Notes contain Contributing collectors, Dates of publication of the individual fascicles, List of recipients, Determination of the species, New Taxa and new combinations, Type materials, Errata and alphabetical Index. The exsiccatum was regularly distributed among following institutions and private herbaria:

1. Botanical Department of National Museum, Praha (PRM)
2. Institute of Systematic Botany, Uppsala University (UPS)
3. Botanical Museum and Herbarium, University of Lund (LD)
4. Botanical Museum, University of Helsinki (H)
5. British Museum, Natural History, London (BM)
6. Département de Botanique, Université de Liege (LG)
7. Naturhistorisches Museum, Botanische Abteilung, Wien (W)
8. US National Museum, Washington, USA (US).
9. Department of Botany, Duke University, Durham, N. C. (DUKE).
10. Botanisches Institut, Universität Graz (GZU)
11. National Museum Washington (US)
12. Dept. of Bot. Nat. Sci. Museum Tokyo (TNS)
13. Inst. of Ecology and Botany, Hung. Acad. Sci., Vácrátót, Hungary (VBI)
14. Herbarium A. Vezda, Brno, Czech Rep.

and uncompletely to many other recipients (vide Notes in Folia Geobot. Phytotax., Praha, 2 (1967), 7 (1972), 14 (1979), 20 (1985) and 27 (1992).

Of the 2500 species edited in this exsiccatum, following 126 species are foliicolous:

Foliicolous lichen species:	origin:	decades:	No.:
<i>Arthonia accolens</i> Stirt.	Brasilia	82	2027
<i>Arthonia cyanea</i> Müll.Arg.	Brasilia	72	1777
<i>Arthonia microsticta</i> Vain.	Transcaucasia	67	1676
<i>Arthonia trilocularis</i> Müll.Arg	Philippines	97	2401

Foliicolous lichen species:	origin:	decades:	No.:
<i>Aspidothelium fugiens</i> (Müll.Arg.) R.Sant.	Tansania	50	1226
<i>Asterothyrium leucophthalmum</i> (Müll.Arg.) R.Sant.	Brasilia	69	1705
<i>Aulaxina microphana</i> (Vain.) R.Sant.	USA, Florida	63	1557
<i>Aulaxina quadrangula</i> (Stirt.) R.Sant.	Resp. Guinea (Africa)	46	1227
<i>Bacidia colchica</i> Vězda	Transcaucasus	67	1660
<i>Bacidia dimerelloides</i> Vězda	Tansania	87	2159
<i>Bacidia dimerelloides</i> Vězda	Tansania	96	2376
<i>Bacidia psychotriae</i> (Müll.Arg.) Zahlbr.	Brasilia	82	2032
<i>Bacidina apiatica</i> (Müll.Arg.) Vězda	Resp. Guinea (Africa)	19	463
[as <i>Bacidia apiatica</i> (Müll.Arg.) Zahlbr.]			
<i>Bacidina apiatica</i> (Müll.Arg.) Vězda	Transcaucasus	62	1542
[as <i>Bacidia apiatica</i> (Müll.Arg.) Zahlbr.]			
<i>Bacidina mirabilis</i> (Vězda) Vězda	Tansania	99	2458
<i>Bacidina scutellifera</i> (Vězda) Vězda	Brasilia	53	1310
(as <i>Bacidia scutellifera</i> Vězda)			
<i>Bacidina stanhopeae</i> (Müll.Arg.) Vězda	Brasilia	93	2307
<i>Bacidina vasakii</i> (Vězda) Vězda	Transcaucasus	82	1869
(as <i>Bacidia vasakii</i> Vězda)			
<i>Bupalmia palmularis</i> (Müll.Arg.) Sérus.	Zaire	60	1484
[as <i>Bacidia palmularis</i> (Müll.Arg.) Zahlbr.]			
<i>Bupalmia palmularis</i> (Müll.Arg.) Sérus.	Tansania	82	2031
[as <i>Bacidia palmularis</i> (Müll.Arg.) Zahlbr.]			
<i>Byssoloma amazonicum</i> Kalb & Vězda	Brasilia	98	2427
<i>Byssoloma fadenii</i> Vězda	Tansania	94	2336
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	Resp. Guinea (Africa)	19	453
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	Transcaucasus	64	1583
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	Georgia	54	1345
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	Argentina	93	2305
<i>Byssoloma leucoblepharum</i> (Nyl.) Vain.	Transcaucasus	64	1583
<i>Byssoloma polychromum</i> (Müll.Arg.) Zahlbr.	Brasilia	73	1821
<i>Byssoloma subdiscordans</i> (Nyl.) P.James	Transcaucasus	54	1343
<i>Byssoloma subdiscordans</i> (Nyl.) P.James	Transcaucasus	64	1584
<i>Byssoloma subpolychromum</i> Vězda	Tansania	53	1311
<i>Byssoloma tricholomum</i> (Mont.) Zahlbr.	Brasilia	82	2029
<i>Byssoloma tricholomum</i> (Mont.) Zahlbr.	Brasilia	94	2337
<i>Calenia conspersa</i> (Stirt.) R.Sant.	Brasilia	76	1878
<i>Calenia laevigata</i> Müll. Arg.	Brasilia	76	1897
<i>Calenia submaculans</i> R.Sant.	Brasilia	76	1880
<i>Calopadia puiggari</i> (Müll.Arg.) Vězda	Zaire	90	2234
<i>Calopadia subcoerulescens</i> Vězda & Farkas	Australia	90	2185
<i>Chroodiscus coccineus</i> (Leight.) Müll.Arg	Brasile	76	1891
<i>Coenogonium implexum</i> Nyl.	Tasmania	83	2055
<i>Coenogonium interplexum</i> Nyl.	Tansania	83	2056
<i>Cryptothecia candida</i> (Krempelh.) R.Sant.	Zaire	65	1601
<i>Dimerella dilucida</i> (Krempelh.) R.Sant.	Brasilia	74	1844
<i>Dimerella epiphylla</i> (Müll.Arg.) Malme	Resp. Guinea (Africa)	46	1129
<i>Dimerella epiphylla</i> (Müll.Arg.) Malme	Tansania	98	2430
<i>Dimerella fallaciosa</i> (Müll.Arg.) Vězda	Brasilia	69	1721
<i>Dimerella hypophylla</i> Vězda	Tansania	75	1860

Follicolous lichen species:	origin:	decades:	No.:	
<i>Dimerella pocsii</i> Vězda & Farkas	Tansania	90	2230	ISOTYPUS
<i>Dimerella subfallaciosa</i> Vězda & Farkas	Tansania	98	2429	
<i>Dimerella usambarensis</i> Vězda & Farkas	Tansania	90	2231	ISOTYPUS
<i>Echinoplaca epiphylla</i> Fée	Transcaucasus	62	1530	
<i>Echinoplaca epiphylla</i> Fée	Transcaucasus	71	1754	
<i>Echinoplaca leucotrichoides</i> (Vain.) R.Sant.	Tansania	50	1245	
<i>Fellhanera bouteillei</i> (Desm.) Vězda [as <i>Catillaria bouteillei</i> (Desm.) Zahlbr.]	Gallia, Pyrenaei	43	1062	
<i>Fellhanera bouteillei</i> (Desm.) Vězda [as <i>Catillaria bouteillei</i> (Desm.) Zahlbr.]	Transcaucasus	41	1515	
<i>Fellhanera endopurpurea</i> Haf. & Vězda	Australia	99	2454	ISOTYPUS
<i>Fellhanera semecarpi</i> (Vain.) Vězda (as <i>Catillaria semecarpi</i> Vain.)	Brasilia	82	2030	
<i>Fellhanera fuscata</i> (Müll.Arg.) Vězda (as <i>Bacidia fuscata</i> Müll.Arg.)	Tansania	50	1235	
<i>Fellhanera fuscata</i> (Müll.Arg.) Vězda	Tansania	87	2155	
<i>Fellhanera fuscata</i> (Müll.Arg.) Vězda	Tansania	95	2357	
<i>Fellhanera lisowskii</i> (Vězda) Vězda (as <i>Bacidia lisowskii</i> Vězda)	Zaire	68	1690	ISOTYPUS
<i>Fellhanera parvula</i> (Vězda) Vězda	Brasilia	91	2260	
<i>Fellhanera stanhopeae</i> (Müll.Arg.) Lücking [as <i>Badimia stanhopeae</i> (Müll.Arg.) Vězda]	Brasilia	93	2307	
<i>Fellhanera sublecanorina</i> (Nyl.) Vězda	Tansania	82	2033	
<i>Fellhanera subtilis</i> (Vězda) Dieder. & Sérus. (as <i>Bacidia subtilis</i> Vězda)	Moravia	51	1260	
<i>Fellhaneropsis myrtillicola</i> (Erichs.) Sérus. & Coppins (as <i>Bacidia buxi</i> Vězda)	Pyrenaei	47	1161	
<i>Fellhaneropsis myrtillicola</i> (Erichs.) Sérus. & Coppins (as <i>Bacidia buxi</i> Vězda)	Transcaucasus	61	1516	
<i>Fellhaneropsis myrtillicola</i> (Erichs.) Sérus. & Coppins (as <i>Fellhanera myrtillicola</i> (Erichs.) Haf.)	Bohemia	95	2359	
<i>Gyalectidium caucasicum</i> (Elenk. & Woron.) Vězda [as <i>Calenia caucasica</i> (Elenk. & Woron.) Vězda]	Transcaucasus	61	1512	
<i>Gyalectidium caucasicum</i> (Elenk. & Woron.) Vězda [as <i>Calenia caucasica</i> (Elenk. & Woron.) Vězda]	Transcaucasus	61	1513	
<i>Gyalectidium caucasicum</i> (Elenk. & Woron.) Vězda [as <i>Calenia caucasica</i> (Elenk. & Woron.) Vězda]	Transcaucasus	61	1514	
<i>Gyalectidium caucasicum</i> (Elenk. & Woron.) Vězda	Tansania	98	2431	
<i>Gyalectidium colchicum</i> Vězda	Transcaucasus	75	1866	ISOTYPUS
<i>Gyalectidium colchicum</i> Vězda	Transcaucasus	75	1868	
<i>Gyalectidium filicinum</i> Müll.Arg.	USA. Florida	63	1556	
<i>Gyalectidium filicinum</i> Müll.Arg.	Transcaucasus	48	1179	
<i>Gyalidea phyllophila</i> Vězda	Transcaucasus	63	1569	
<i>Gyalidea phyllophila</i> Vězda	Transcaucasus	68	1679	
<i>Lasioloma arachnoideum</i> (Krempelh.) R.Sant.	Tansania	86	2144	
<i>Linhartia patellarioides</i> (Rehm) Vězda	Resp. Guinea (Africa)	47	1158	
<i>Macentina borhidii</i> Farkas & Vězda	Tansania	92	2276	
<i>Mazosia melanophthalma</i> (Müll.Arg.) R.Sant.	Tansania	50	1230	
<i>Mazosia pseudobambusae</i> Kalb & Vězda	Brasilia	90	2228	ISOTYPUS

Foliicolous lichen species:	origin:	decades:	No.:
<i>Mazosia rubropunctata</i> R.Sant.	Brasilia	80	1987
<i>Mazosia tumidula</i> (Stirt.) Müll.Arg	Brasilia	76	1877
<i>Opegrapha lambinonii</i> Sérus.	Zaire	60	1479
<i>Opegrapha phylloporinae</i> Müll.Arg.	Tansania	95	2375
<i>Phyllophiale alba</i> R.Sant.	Rep. Guinea (Africa)	46	1128
<i>Porina epiphylla</i> (Fée) Fée	Tansania	50	1227
<i>Porina epiphylla</i> (Fée) Fée	Kenya	62	1526
<i>Porina epiphylla</i> var. <i>atriceps</i> Vain.	Australia	88	2177
<i>Porina fulvella</i> Müll. Arg.	Brasilia	94	2326
<i>Porina hoehneliana</i> (Jaap) R.Sant.	Pyrenaei	44	1083
<i>Porina hoehneliana</i> (Jaap) R.Sant.	Gallia, Landes	44	1084
<i>Porina hoehneliana</i> (Jaap) R.Sant.	Transcaucasus	67	1652
<i>Porina hoehneliana</i> (Jaap) R.Sant.	Transcaucasus	74	1829
<i>Porina impressa</i> R.Sant.	Australia	88	2178
<i>Porina limbulata</i> (Krempelh.) Vain.	Tansania	51	1251
<i>Porina lucida</i> R.Sant.	Tansania	99	2451
<i>Porina nitidula</i> Müll.Arg.	Tansania	85	2120
<i>Porina oxneri</i> R.Sant.	Gallia, Provence	78	1946
<i>Porina pallescens</i> R.Sant.	Tansania	95	2366
<i>Porina rufula</i> (Krempelh.) Vain.	Brasilia	94	2328
<i>Porina semecarpi</i> Vain.	Tansania	50	1228
<i>Porina similis</i> Kalb & Vězda	Australia	88	2179
<i>Raciborskiella prasina</i> (Müll.Arg.) R.Sant.	Kenya	62	1527
<i>Sporopodium xantholeucum</i> (Müll. Arg.) Zahlb.	Vietnam	52	1292
<i>Sporopodium flavescens</i> (R.Sant.) Vězda	Australia	88	2193
<i>Strigula concreta</i> (Fée) R.Sant.	Brasilia	74	1839
<i>Strigula nemathora</i> Mont.	Rep. Guinea (Africa)	45	1102
<i>Strigula nemathora</i> Mont	Zaire	56	1377
<i>Strigula nitidula</i> Mont	Transcaucasus.	63	1570
<i>Strigula nitidula</i> Mont	Tenerife	86	212
<i>Strigula phyllogena</i> (Müll.Arg.) R.C. Harris	Brasilia	81	2001
[as <i>Phylloporis phyllogena</i> (Müll.Arg.) Clem.]			
<i>Strigula phyllogena</i> (Müll.Arg.) R.C. Harris	Rep. Guinea (Africa)	46	112
(as <i>Porina phyllogena</i> Müll.Arg.)			
<i>Strigula phyllogena</i> (Müll.Arg.) R.C.Harris	Tansania	87	2151
[as <i>Phylloporis phyllogena</i> (Müll.Arg.) Clem.]			
<i>Strigula smaragdula</i> Fr.	India, Himalaya	15	351
(as <i>Strigula elegans</i> Fr.)			
<i>Strigula smaragdula</i> Fr	Transcaucasus	71	1764
(as <i>Strigula elegans</i> Fr)			
<i>Strigula subelegans</i> Vain.	Philippines	61	1502
<i>Strigula subtilissima</i> (Fée) Müll.Arg.	Australia	88	2180
<i>Tapellaria epiphylla</i> (Müll.Arg.) R.Sant.	USA. Florida	63	1566
<i>Tricharia carnea</i> (Müll.Arg.) R.Sant.	Guadeloupe	100	2480
<i>Trichothelium alboatrum</i> Vain.	Zaire	59	1451
<i>Trichothelium alboatrum</i> var. <i>javanicum</i> Schilling	Australia	88	2176
<i>Vezdaea foliicola</i> Sérus.	Brasilia	93	23

ISOTYPUS